

Atlas ALCOHOL RESISTANT FLOOR COATING

A repairable & removable finish specially formulated to be **resistant to alcohol hand sanitizer**.





WHY ATLAS:

DURABLE, REPAIRABLE & REMOVABLE Unique polymer blend

ALCOHOL RESISTANT

See comparative test results on page 2

NO MIXING REQUIRED

Single Component

EASY TO USE

No specialized equipment or proprietary application methods required

AMP ANTIMICROBIAL PROTECTION

Technology that inhibits the growth of bacteria on the floor surface

DISINFECTANT COMPATIBILITY:

The following Pioneer Eclipse disinfectants are safe to use on this floor coating when correctly diluted and used according to the product directions. Bleach and other corrosives may cause damage.

Nova Disinfectant

MeridiClean All Purpose Cleaner & Disinfectant

NeutraQuat 256 Germicidal Disinfectant Triton XLC Bathroom Cleaner & Disinfectant

DIRECTIONS

Apply thin coats using a clean synthetic mop. Allow floor to dry thoroughly between coats and prior to burnishing.

Read all directions and Safety Data Sheet (SDS) before using.

Directions and SDS are available for download at pioneereclipse.com

TECHNICAL DATA

Description	Polymer emulsion			
Appearance	Milky white			
Specular Gloss (60°) ASTM D1455-87 (2008)	>80			
Viscosity (Brookfield) @ 68°F (20°C)	<10 centipoise			
Coverage Rate	2500 to 3000 ft²/gal 61 to 74 m²/liter			
Dry Time	About 30 minutes			
Buffability	Excellent			
Removability ASTM D1792-06	Good			
VOC 40 CFR Part 59 Subpart C	< 0.25%			
Total Solids	25%			
Non-Volatile Solids ASTM D2834-95 (2008)	20%			
Fragrance	Mild odor			
Slip Resistance	UL pending			
Shelf Life ASTM D1791-93 (2008)	1 year			
Density ASTM D1475-98 (2008)	8.5 lb/gal @ 68°F 1.02 kg/L @ 20°C			
Detergent Resistance ASTM 03207-92 (2008)	Excellent			
Freeze/Thaw ASTM D3209-93 (2008)	Passes 3 cycles			



Floor Coating and Finishing materials as to slip resistance only. 42E6

 Product Code
 149FS
 149MPE

 Volume
 2.50 US gallons
 4 liters

 Shipping Package
 2 x 2.5 gallons
 4 x 4 liter

 Pallet Quantity
 48
 48

149 PDS 09/20



Pioneer Atlas ALCOHOL RESISTANT FLOOR COATING


How Atlas Alcohol Resistant Floor Coating compares to other coating types

	Atlas Alcohol Resistant Coating	Dri-Brite Coating	Conventional Coating	Ultra Durable Coating	
Abrasion Resistance	Good	Good Fair		Excellent	
Alcohol Resistance	Excellent	Poor Poor		Good	
Soil Resistance	Excellent	Good Good		Excellent	
Initial Gloss	Excellent	Excellent	Good	Fair	
Repairability	Good	Fair	Excellent	Poor	
Removability	Good	Good	Excellent	Poor	


How Atlas STAIN RESISTANCE compares to leading competitive coating

Atlas Alcohol Resistant Coating

Dwell Time Staining Agent 15 Min 30 Min 2 Hr 8 Hr 24 Hr Isopropanol **Leading Sanitizer** 5 Min 15 Min 30 Min 1 Hr 2 Hr 8 Hr 24 Hr Isopropanol **Leading Sanitizer**



Leading Competitive Coating



5 Min	15 Min	30 Min	1 Hr	2 Hr	8 Hr	24 Hr	_
							1 + 1
							24 Hour care
							l d
							_
5 Min	15 Min	30 Min	1 Hr	2 Hr	8 Hr	24 Hr	
							-
							/ Day cure
							l a

Atlas demonstrated little to no staining from alcohol, sanitizer, and iodine verses leading competitive floor coating